

1/16




Fig. 1

2/16




Fig. 2

3/16

300




Fig. 3

4/16




Fig. 4

5/16




Fig. 5

6/16




Fig. 6

7/16




Fig. 7




Fig. 9

8/16




Fig. 8

9/16




Fig. 10




Fig. 11

11/16




Fig. 12

12/16

1300

☐ ☐ ☐ ☐

BUSINESS PROCESS EDITOR

File

Edit

Publish

Help

1302 Application Access Method

Process Flow

Access Method Name

OrderEntry

Access Method Type

Program Call

◀

Properties

System

rchas001

Userid

rstevens

Password

PCM document

orderentrypgm

Browse

Documents

Input

orderentrypgm

Browse

Load

☒ PCML

☐ XML

Output

orderentrypgm

Browse

Load

☒ PCML

☐ XML

Field ID	Name	Default	Display	
<div style="display: flex; flex-direction: column; align-items: flex-start;"> <div>Input</div> <div><input checked="" type="radio"/> XYZ</div> <div><input type="radio"/> inum</div> <div><input type="radio"/> q</div> <div>Output</div> <div><input checked="" type="radio"/> XYZ</div> <div><input type="radio"/> p</div> </div>				△
	Item Number		<input checked="" type="checkbox"/>	
	Item Quantity	1	<input checked="" type="checkbox"/>	
	Item Price		<input checked="" type="checkbox"/>	▽

Fig. 13

13/16

1300

BUSINESS PROCESS EDITOR _ □ ×		
File	Edit	Publish Help 1304
<div style="display: flex; justify-content: space-between;"> Application Access Method Process Flow </div>		
Protocol		Ariba
Action		Order Request
Access Method names		Order Entry
Input Mappings		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Request Fields </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> B2B Header </div> <div style="margin-left: 40px;"> <input type="checkbox"/> Field 1 </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Item Out </div> <div style="margin-left: 40px;"> <input checked="" type="checkbox"/> Item ID </div> <div style="margin-left: 60px;"> <input type="checkbox"/> SupplierPartID </div> <div style="margin-left: 40px;"> <input type="checkbox"/> @quantity </div>	<div style="margin-bottom: 5px;"> <input type="checkbox"/> Access Method Fields </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Number </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Quantity </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Billing Address </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Address </div>	<div style="text-align: center; border-bottom: 1px solid black;">Add Mappings</div> <div style="height: 40px;"></div>
Output Mappings		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Response Fields </div> <div style="margin-left: 20px;"> <input checked="" type="checkbox"/> Item Out </div> <div style="margin-left: 40px;"> <input type="checkbox"/> @quantity </div>	<div style="margin-bottom: 5px;"> <input type="checkbox"/> Access Method Fields </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Price </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Date </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Shipping Status </div>	<div style="text-align: center; border-bottom: 1px solid black;">Add Mappings</div> <div style="height: 40px;"></div>
Access Method Fields		
<div style="margin-bottom: 5px;"> <input type="checkbox"/> Input </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Number </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Quantity </div> <div style="margin-bottom: 5px;"> <input type="checkbox"/> Output </div> <div style="margin-left: 20px;"> <input type="checkbox"/> Item Price </div>	<div style="border-bottom: 1px solid black;">/itemOut/itemID/SupplierPartID</div> <div style="border-bottom: 1px solid black;">/itemOut/@quantity</div> <div style="border-bottom: 1px solid black;">/itemOut/@price</div> <div style="border-bottom: 1px solid black;"></div> <div style="border-bottom: 1px solid black;"></div>	<div style="border-bottom: 1px solid black; text-align: center;">Remove</div> <div style="border-bottom: 1px solid black; text-align: center;">Remove All</div> <div style="height: 40px;"></div>

Fig. 14

14/16

1500

DEPLOY FLOW INSTRUCTIONS FOR <INSTANCE NAME>

1502

	Select Protocol
<input type="radio"/>	Ariba
<input type="radio"/>	Metiom
<input type="radio"/>	

Next

Cancel

Exit the Tool

- Making selection and clicking
Next starts a series of steps:

- Step 1: Select Protocol (this screen)
- Step 2: Select Marketplace
- Step 3: Select Protocol elements supported and Flow Operations that support those elements.
- Step 4: Finish and Deploy

Instances
Suppliers
Buyers
Catalog
Deployment

MESSAGE AREA

Fig. 15

15/16

1600

SELECT MARKETPLACE FOR <INSTANCE NAME>

Instances
Suppliers
Buyers
Catalog
Deployment

MARKETPLACE:
- select marketplace- ▾

Next

Only valid/known Marketplaces are shown selection required, next goes to next screen

Cancel

Exit the Tool

MESSAGE AREA

Fig. 16

16/16

CONFIGURE JOE'S FISHMARKET FOR <INSTANCE NAME>

1710
1706 1708 1714 1712
1704

Transaction	Subtype	Supplier	Buyer	Operation (Flow)
<input checked="" type="checkbox"/> OrderMessage	<none>	*All ▾	*All ▾	JoeshFishOrder ▾
<input type="checkbox"/> ProfileRequest	<none>	*All ▾	*All ▾	AribaProfile ▾
<input checked="" type="checkbox"/> PunchOut	create	*All ▾	*All ▾	PunchOutCeate ▾
<input checked="" type="checkbox"/>	edit	*All ▾	*All ▾	JoeshPunchEdit ▾
<input type="checkbox"/>	inspect	*All ▾	*All ▾	PunchOutinspect ▾

1701
1702

Edit

- Select which protocol messages and sub-types will be supported for this market
 - Only Valid types for Protocol will be displayed
 - Valid Operations come up in operation dropdown

Previous

Advances

- Display and allow edit of supplier/Buyer
 - Known Suppliers/ buyers in dropdown
 - Selecting new Supplier/ Buyer creates new line

Deploy

Deploy the Metadata

MESSAGE AREA

Instances

Suppliers

Buyers

Catalog

Deployment

1700

Fig. 17